



Keep cool this summer! (MATRIX auroratools







FLOOR FANS

- 3-speed, 120 V/60 Hz, 1/4 HP motor
 - All-metal construction
 - 3-prong plug with ground industrial wire
 - · Rotates up for vertical airflow
 - · Chrome finish



Model			CFM		PROMO
No.	Diameter"	High	Med	Low	PRICE
EA528	16	2370	1950	1560	85.00
EA290	18	4725	3850	2975	95.00

LIGHT INDUSTRIAL **DRUM FANS**

- 120 V/60 Hz, 2-speed motor
- All-metal construction
- 6" casters with handle
- 6' SJT type power cord





INDUSTRIAL	PRODUCIS					-
Model			CFI	М	Wt.	PROMO
No.	Dia."	HP	High	Low	lbs.	PRICE
EA286	28	2/5	8050	6650	22	345.00
FA 288	36	3/5	11 200	9100	30.5	399.00

HIGH VELOCITY FLOOR FAN



- All-metal construction
- · Vertical pivot fan head
- Copper motor for longer lifetime
- Diameter: 20"
- No. of Speeds: 3

Model No.

EA661

PROMO PRICE



RECHARGEABLE INDOOR/OUTDOOR FAN



- Includes a lithium-ion battery and charger cable
- Power indicator light equipped with 5 LED lights to indicate the battery gauge in every 20%
- This fan has a variable speed setting
- USB charging port on the control box can be used to recharge digital devices
- Type: Floor
- Diameter: 12"
- No. of Speeds: 3
- · Colour: Yellow
- · Voltage: 24 V
- Power: 25 W
- CFM: 1600
- RPM: 1700
- Re-Charge time: 4-5 Hrs
- Duration time at low speed: 24 Hrs
- Duration time at high speed: 4 Hrs
- USB: 5 V, 1 A

Model No. **EA828**





LIGHT INDUSTRIAL **AIR CIRCULATING FANS**

- 2-speed, 120 V motor
- · All-metal construction, with densely chrome-plated guard

• Can be used in oscillating or non-oscillating mode

· Pedestal models feature adjustable height and heavy-duty base for added stability

• 6' SJT power cord







Model			CF	M	PROMO
No.	Description	HP	High	Low	PRICE
OSCILL	ATING				
EA282	26" Pedestal	1/4	7525	4050	269.00
EA283	30" Pedestal	1/3	8778	6780	295.00
EA284	26" Wall Mount	1/4	7525	4050	209.00
EA654	30" Wall Mount	1/3	8775	6780	229.00
NON O	SCILLATING				
EA657	26" Pedestal	1/4	7700	6060	235.00
EA571	30" Pedestal	1/3	8000	7000	259.00
EA655	26" Wall Mount	1/4	7700	6060	179.00
EA656	30" Wall Mount	1/3	8000	7000	195.00

24" ROLL-ABOUT FAN

- 3-speed, 1/5 HP, 120 V motor
- Cart-mounted fan for increased air circulation and optimal mobility
- Can be tilted/positioned to maximize ventilation
- · Cart and frame configuration provides stable quiet operation
- CFM: 10760/7770/7040
- 9.8' SJT power cord

PROMO PRICE

Model No. **EA476**





OUTDOOR OSCILLATING PEDESTAL FAN

- Enclosed/Waterproof motor type
- Features adjustable height and heavy-duty round base for added stability
- 9.5' power cord with UL GFCI plug
- All-metal construction, chrome grill stand and base painted black
- HP: 1/7
- Base Diameter: 27"
- CFM High: 7200
- CFM Mid: 5470
- CFM Low: 3780
- Weight: 47 lbs.
- Watts: 220 W
- Diameter: 30"
- No. of Speeds: 3

Model No. EA779





20" HIGH VELOCITY **PEDESTAL FAN**

- 3-speed, 1/5 HP, 120 V/60 Hz motor
- All-metal construction
- Adjustable pedestal base • 6' SJT power cord
- CFM: 5950/4550/3850
- Head tilting capability of 360°

PROMO PRICE

Model No. **EA289**



HIGH VELOCITY OSCILLATING WALL FAN

- Adjustable tilting fan head
- · Sliding switch at front of base
- · Rotating or fixed air direction
- Type: Wall Mounted
- Diameter: 20"
- No. of Speeds: 3
- Max. CFM: 4800
- Mid. CFM: 4500
- Min. CFM: 4000
- Voltage: 120 V

• HP: 1/5

Model No. **EA660**



MISTING & OSCILLATING PEDESTAL FAN

· Features a misting hub, adjustable height and heavy-duty round base for added stability 9' power cord with UL GFCI plug

• Enclosed/Waterproof motor type (IP44) • All-metal construction, chrome grill stand and base painted black

Misting kit included with direct hose connection

• HP: 1/7

• Base Diameter: 27"

• CFM High: 7200

• CFM Low: 3780

• CFM Mid: 5470

• Weight: 47 lbs. • Watts: 220 W

• Diameter: 30"

• No. of Speeds: 3

Model No. EA829



HEAVY-DUTY OSCILLATING PEDESTAL FAN

• HP: 1/3

• Max. CFM: 13200

• Base Dia.: 69.3 cm

• All-metal construction, chrome grill and base painted black

• Can be used in oscillating or non-oscillating mode

· Adjustable height and heavy-duty round base for added stability

• 9.8' SJT power cord

Fully enclosed motor

• Diameter: 30"

• No. of Speeds: 3

Model No. **EA666**



INDUSTRIAL-DUTY AIR CIRCULATING FANS

• 120 V

|||NEW!

• All-metal construction

• Fully enclosed motor

• 9.8' SJT power cord

· Stem length for pedestal: 89-124 cm

• No. of Speeds: 2





INDUSTRIAL	RODUCIS				
Model			CF	M	PROMO
No.	Description	HP	Max.	Min.	PRICE
OSCILLA	ATING				
EA643*	24" Pedestal	1/4	11800	7760	359.00
EA647*	30" Pedestal	1/3	13 200	6700	395.00
EA645	24" Wall Mount	1/3	11500	7680	289.00
EA649	30" Wall Mount	1/4	10780	7760	319.00
NON-O	SCILLATING				
EA642*	24" Pedestal	1/4	11800	7760	310.00
EA646*	30" Pedestal	1/4	10780	7440	335.00
EA644	24" Wall Mount	1/4	11 500	7680	250.00
EA648	30" Wall Mount	1/4	10780	7440	275.00

* Features adjustable height and a heavy-duty round base for added stability

HEAVY-DUTY OSCILLATING WALL FAN

- Max. CFM: 13400
- All-metal construction • Fully enclosed motor
 - 9.8' SJT power cord
 - Diameter: 30"

• No. of Speeds: 3

Model No. **EA667**

PROMO PRICE



MATRIX

LIGHT INDUSTRIAL **DIRECT-DRIVE SLIM DRUM FAN**

• All-metal construction, painted black & chrome with aluminum blades

• 6' SJT power cord

• 5" casters and easy-moving handle

Open motor type

• 360° vertical tilt angle

• HP: 3/10

• Motor: 120 V/60 Hz, 3-speed

• CFM High: 7770 • CFM Low: 4200

• Weight: 25.09 lbs. Watts: 215 W

• Diameter: 24"

Model No. **EA778**







MOBILE 3-IN-1 AIR CONDITIONER

• 3-in-1 System (A/C, Fan and dehumidify)

· Control panel with LED display on unit and remote control included

• Equipped with casters

• 24 hour timer

• 3 fan and cooling speeds

· Colour: White

• Voltage: 115 V

• Frequency: 60 Hz

• Type: Portable

• 17-1/3" W x 12-4/5" D x 27-1/3" H

• BTU Rating: 12000

Model No. **EA830**





IIINEW!

OUTDOOR EXTENSION CORDS W/LIGHT INDICATOR

· Vinyl jacket protects against rough use, chemicals and moisture

• Lighted connectors allow you to see when the power is in use


• 3-conductor SJTOW, 300 V grounding, oil resistant

• Extra heavy-duty

• Single tap



XC494



MATRIX

HEAVY-DUTY FIXED BELT DRIVE DRUM FAN

• HP: 3/4

- Max. CFM: 20945
- Fully enclosed motor
- All-metal construction
 - 12' power cord
 - Diameter: 42"
 - No. of Speeds: 2

Model No. **EA662**

PROMO PRICE

DEHUMIDIFIER

- Water bucket full indicator
- Omni-directional casters
- 24-hour timer
- · 6L tank capacity
- Auto restart function and auto defrosting
- Energy-Star Certified
- · Washable filter
- LED display
- Capacity: 70 Pt.
- Coverage: 4000 sq. ft.

Model No. **EA831**

PROMO PRICE

///NEW!



OUTDOOR VINYL EXTENSION CORDS

· 3-conductor SJTW, 300-V grounding

· Vinyl jacket protects against rough use, chemicals, and moisture and provides added flexibility

• Single tap











auroratools'

Model					PROMO
No.	Length'	AWG	Amps	Watts	PRICE
HEAVY-	DUTY ORA	NGE			
XC482	25	14/3	15	1875	15.99
XC483	50	14/3	15	1875	29.99
XC484	100	14/3	13	1625	58.99
EXTRA	HEAVY-DU	TY YELLO)W		
XC485	25	12/3	15	1875	23.99
XC486	50	12/3	15	1875	45.99
XC487	100	12/3	15	1875	89.99









MATRIX

PROMO PRICE





OSCILLATING PEDESTAL FANS

- 3-speed push button front control
- Adjustable height

• 3-speed control

• Five slim blades

• Weight: 10 lbs.

Model No. EA527

· Fully assembled and ready to use

PROMO PRICE

- Rotating or fixed air direction
- · Easy to assemble



•	MATRIX* INDUSTRIAL PRODUCTS	

Model		PROMO
No.	Diameter"	PRICE
EA658	16	29.95
EA551	18	46.95

|||NEW!

• Stable base • Type: Pedestal • Diameter: 6" • No. of Speeds: 3 · Colour: Black

· Voltage: 120 V

• Power: 40 W • Frequency: 60 Hz

Wide-angle oscillation

OSCILLATING TOWER FAN



SQWINCHER ZERO® QWIK STIK[™]

- Calorie and sugar free single-serve pouches
 - Simply tear open the pouch, pour the powder into a 20-oz. bottle of water, and shake
 - Fifty 0.11-oz. packets per bag

PROMO PRICE

3799_{/Bag}

Model	MFG	
No.	No.	Flavour
SAN505	11060100-OR	Orange
SAN506	11060102-FP	Fruit Punch
SEI282	11060453-SL	Strawberry Lemonade
SAP496	11060101-MB	Mixed Berry

SQWINCHER® SQWEEZE FREEZER POPS

 Freeze the Sqweeze and enjoy the refreshing taste of flavoured ice while replenishing your electrolytes

 Contains an assortment of orange, grape, lemon-lime, cherry and mixed berry flavours

• 150 assorted 3-oz. individual packages per box



9600 /Box

Model No. SAM804 MFG No. 11130

SAF874

SQWINCHER® FAST PACK®

- Packet can be used as a drinking cup; simply open it and add water to fill
- Handy, portable size lets you take Sqwincher[®] almost anywhere
- Fifty 0.6-oz. packets per box



Model

SAF872

SAF873

SAF874


SAF878

No.



	/Box	CHICAGO CONTROL OF THE PROPERTY OF THE PROPERT
MFG	1	
No.	Flavo	ur
11080	Lemon	ade
11081	Fruit Pu	ınch
11082	Lemon-	Lime
11086	Oran	ge

SQWINCHER ZERO® LIQUID CONCENTRATE



• Mixes instantly when water is added - no stirring required

Screw-on cap allows you to reseal the bottle

• 64-oz. bottle size yields 5 gallons



1939



Model	MFG	
No.	No.	Flavour
SAN533	11050502-FP	Fruit Punch
SAN534	11050504-LL	Lemon-Lime
SAN535	11050505-LEM	Lemonade
SAN536	11050507-OR	Orange

SQWINCHER® LIQUID CONCENTRATE

• Specially formulated no-stir formula

SAN533

- Screw-on cap allows you to reseal and store the bottle
- 64-oz. bottle size yields 5 gallons



PROMO PRICE



Model	MFG	
No.	No.	Flavour
SAF862	11025	Grape
SAP552	11027	Mixed Berry
SR933	11020	Lemonade
SR934	11021	Orange
SR935	11022	Fruit Punch
SR936	11023	Lemon-Lime
SR937	11024	Tropical Cooler

INDUSTRIAL WATER COOLERS

- Heavy-duty blow moulded resin resists chips and dents in the toughest work area or job site
- Injection grade insulated liner material keeps your water or beverage cold
- · Leak-resistant screw-on lid
- Drip-resistant spigot





Home Product	s		ONOU/
Model	MFG		PROMO
No.	No.	Description	PRICE
ON611	1840999	5 Gallons	54.50
ON607	1841106	5 Gallons w/Dispenser	56.90